

Cable ID	Summary	Test Limit	Length	Headroom	Date / Time
0A/025	PASS	EN50173 PL2 Class Ea	104 ft	7.1 dB (NEXT)	01/17/2020 02:17 PM
0A/026	PASS	EN50173 PL2 Class Ea	122 ft	6.3 dB (NEXT)	01/17/2020 02:19 PM
0A/027	PASS	EN50173 PL2 Class Ea	90 ft	6.3 dB (NEXT)	01/17/2020 02:20 PM
0A/028	PASS	EN50173 PL2 Class Ea	116 ft	6.4 dB (NEXT)	01/17/2020 02:21 PM
0A/029	PASS	EN50173 PL2 Class Ea	134 ft	5.9 dB (NEXT)	01/17/2020 02:22 PM
0A/030	PASS	EN50173 PL2 Class Ea	152 ft	6.6 dB (NEXT)	01/17/2020 02:24 PM
0A/031	PASS	EN50173 PL2 Class Ea	123 ft	5.3 dB (NEXT)	01/17/2020 02:30 PM
0A/032	PASS	EN50173 PL2 Class Ea	133 ft	6.4 dB (NEXT)	01/17/2020 02:31 PM
0A/033	PASS	EN50173 PL2 Class Ea	176 ft	6.6 dB (NEXT)	01/17/2020 02:32 PM
0A/034	PASS	EN50173 PL2 Class Ea	176 ft	7.5 dB (NEXT)	01/17/2020 02:34 PM
0A/035	PASS	EN50173 PL2 Class Ea	207 ft	5.9 dB (NEXT)	01/17/2020 02:35 PM
0A/036	PASS	EN50173 PL2 Class Ea	208 ft	7.0 dB (NEXT)	01/17/2020 02:36 PM
0A/037	PASS	EN50173 PL2 Class Ea	216 ft	6.2 dB (NEXT)	01/17/2020 02:37 PM
0A/038	PASS	EN50173 PL2 Class Ea	216 ft	5.4 dB (NEXT)	01/17/2020 02:38 PM
0A/039	PASS	EN50173 PL2 Class Ea	220 ft	6.3 dB (NEXT)	01/17/2020 02:39 PM
0A/040	PASS	EN50173 PL2 Class Ea	221 ft	5.8 dB (NEXT)	01/17/2020 02:40 PM
0A/048	PASS	EN50173 PL2 Class Ea	85 ft	5.7 dB (NEXT)	01/17/2020 02:40 PM
BMET 001	PASS	TIA Cat 6 Perm. Link	91 ft	3.6 dB (NEXT)	01/17/2020 09:37 AM
BMET 002	PASS	TIA Cat 6 Perm. Link	91 ft	2.5 dB (NEXT)	01/17/2020 09:38 AM
BMET 003	PASS	TIA Cat 6 Perm. Link	91 ft	3.2 dB (NEXT)	01/17/2020 09:41 AM
BMET 004	PASS	TIA Cat 6 Perm. Link	91 ft	3.8 dB (NEXT)	01/17/2020 09:42 AM
BMET 005	PASS	TIA Cat 6 Perm. Link	102 ft	4.3 dB (NEXT)	01/17/2020 09:20 AM
BMET 006	PASS	TIA Cat 6 Perm. Link	102 ft	2.9 dB (NEXT)	01/17/2020 09:21 AM
BMET 007	PASS	TIA Cat 6 Perm. Link	104 ft	2.6 dB (NEXT)	01/17/2020 09:21 AM
BMET 008	PASS	TIA Cat 6 Perm. Link	103 ft	3.2 dB (NEXT)	01/17/2020 09:22 AM
BMET 009	PASS	TIA Cat 6 Perm. Link	96 ft	2.3 dB (NEXT)	01/17/2020 09:22 AM
BMET 010	PASS	TIA Cat 6 Perm. Link	96 ft	2.7 dB (NEXT)	01/17/2020 09:23 AM
BMET 011	PASS	TIA Cat 6 Perm. Link	96 ft	2.6 dB (NEXT)	01/17/2020 09:23 AM
BMET 012	PASS	TIA Cat 6 Perm. Link	96 ft	5.3 dB (NEXT)	01/17/2020 09:24 AM
BMET 013	PASS	TIA Cat 6 Perm. Link	94 ft	2.3 dB (NEXT)	01/17/2020 09:24 AM
BMET 014	PASS	TIA Cat 6 Perm. Link	94 ft	3.8 dB (NEXT)	01/17/2020 09:25 AM
BMET 015	PASS	TIA Cat 6 Perm. Link	94 ft	2.1 dB (NEXT)	01/17/2020 09:26 AM
BMET 016	PASS	TIA Cat 6 Perm. Link	94 ft	2.9 dB (NEXT)	01/17/2020 09:26 AM
BMET 017	PASS	TIA Cat 6 Perm. Link	72 ft	3.6 dB (NEXT)	01/17/2020 09:27 AM
BMET 018	PASS	TIA Cat 6 Perm. Link	72 ft	2.6 dB (NEXT)	01/17/2020 09:28 AM
BMET 019	PASS	TIA Cat 6 Perm. Link	72 ft	1.5 dB (NEXT)	01/17/2020 09:28 AM
BMET 020	PASS	TIA Cat 6 Perm. Link	72 ft	3.2 dB (NEXT)	01/17/2020 09:29 AM
BMET 021	PASS	TIA Cat 6 Perm. Link	71 ft	3.9 dB (NEXT)	01/17/2020 09:29 AM
BMET 022	PASS	TIA Cat 6 Perm. Link	72 ft	2.8 dB (NEXT)	01/17/2020 09:30 AM
BMET 023	PASS	TIA Cat 6 Perm. Link	72 ft	2.2 dB (NEXT)	01/17/2020 09:30 AM
BMET 024	PASS	TIA Cat 6 Perm. Link	72 ft	4.5 dB (NEXT)	01/17/2020 09:31 AM
BMET 025	PASS	TIA Cat 6 Perm. Link	69 ft	2.1 dB (NEXT)	01/17/2020 09:35 AM
BMET 026	PASS	TIA Cat 6 Perm. Link	69 ft	4.0 dB (NEXT)	01/17/2020 09:35 AM
BMET 027	PASS	TIA Cat 6 Perm. Link	69 ft	2.1 dB (NEXT)	01/17/2020 09:36 AM
BMET 028	PASS	TIA Cat 6 Perm. Link	69 ft	4.1 dB (NEXT)	01/17/2020 09:36 AM
BMET 029	PASS	TIA Cat 6 Perm. Link	60 ft	3.5 dB (NEXT)	01/17/2020 09:11 AM
BMET 030	PASS	TIA Cat 6 Perm. Link	60 ft	3.4 dB (NEXT)	01/17/2020 09:11 AM
BMET 031	PASS	TIA Cat 6 Perm. Link	60 ft	2.5 dB (NEXT)	01/17/2020 09:12 AM
BMET 032	PASS	TIA Cat 6 Perm. Link	60 ft	3.0 dB (NEXT)	01/17/2020 09:12 AM
BMET 033	PASS	TIA Cat 6 Perm. Link	62 ft	2.5 dB (NEXT)	01/17/2020 09:13 AM
BMET 034	PASS	TIA Cat 6 Perm. Link	62 ft	2.6 dB (NEXT)	01/17/2020 09:14 AM
BMET 035	PASS	TIA Cat 6 Perm. Link	62 ft	2.3 dB (NEXT)	01/17/2020 09:14 AM
BMET 036	PASS	TIA Cat 6 Perm. Link	62 ft	2.2 dB (NEXT)	01/17/2020 09:14 AM
BMET 037	PASS	TIA Cat 6 Perm. Link	62 ft	3.2 dB (NEXT)	01/17/2020 09:15 AM
BMET 038	PASS	TIA Cat 6 Perm. Link	62 ft	3.2 dB (NEXT)	01/17/2020 09:15 AM
BMET 039	PASS	TIA Cat 6 Perm. Link	80 ft	2.0 dB (NEXT)	01/17/2020 09:17 AM
BMET 040	PASS	TIA Cat 6 Perm. Link	80 ft	2.9 dB (NEXT)	01/17/2020 09:18 AM
BMET 041	PASS	TIA Cat 6 Perm. Link	79 ft	2.0 dB (NEXT)	01/17/2020 09:18 AM
BMET 042	PASS	TIA Cat 6 Perm. Link	80 ft	3.3 dB (NEXT)	01/17/2020 09:19 AM
BMET 043	PASS	TIA Cat 6 Perm. Link	78 ft	2.2 dB (NEXT)	01/17/2020 09:16 AM
BMET 044	PASS	TIA Cat 6 Perm. Link	79 ft	3.3 dB (NEXT)	01/17/2020 09:17 AM
BMET 045	PASS	TIA Cat 6 Perm. Link	44 ft	3.0 dB (NEXT)	01/17/2020 09:03 AM
BMET 046	PASS	TIA Cat 6 Perm. Link	44 ft	1.7 dB (NEXT)	01/17/2020 09:03 AM
BMET 047	PASS	TIA Cat 6 Perm. Link	44 ft	3.0 dB (NEXT)	01/17/2020 09:04 AM
BMET 048	PASS	TIA Cat 6 Perm. Link	44 ft	4.3 dB (NEXT)	01/17/2020 09:04 AM
BMET 049	PASS	TIA Cat 6 Perm. Link	51 ft	1.9 dB (NEXT)	01/17/2020 09:09 AM
BMET 050	PASS	TIA Cat 6 Perm. Link	51 ft	1.9 dB (NEXT)	01/17/2020 09:09 AM
BMET 051	PASS	TIA Cat 6 Perm. Link	52 ft	1.7 dB (NEXT)	01/17/2020 09:09 AM
BMET 052	PASS	TIA Cat 6 Perm. Link	51 ft	3.1 dB (NEXT)	01/17/2020 09:10 AM
BMET 053	PASS	TIA Cat 6 Perm. Link	33 ft	1.9 dB (NEXT)	01/17/2020 08:57 AM
BMET 054	PASS	TIA Cat 6 Perm. Link	33 ft	1.7 dB (NEXT)	01/17/2020 08:59 AM
BMET 055	PASS	TIA Cat 6 Perm. Link	33 ft	2.3 dB (NEXT)	01/17/2020 08:59 AM
BMET 056	PASS	TIA Cat 6 Perm. Link	33 ft	1.9 dB (NEXT)	01/17/2020 09:00 AM
BMET 057	PASS	TIA Cat 6 Perm. Link	121 ft	0.8 dB (NEXT)	01/17/2020 09:44 AM
BMET 058	PASS	TIA Cat 6 Perm. Link	121 ft	2.7 dB (NEXT)	01/17/2020 09:46 AM
BMET 075	PASS	TIA Cat 6 Perm. Link	47 ft	4.4 dB (NEXT)	01/17/2020 09:06 AM
BMET 076	PASS	TIA Cat 6 Perm. Link	47 ft	3.0 dB (NEXT)	01/17/2020 09:07 AM

Cable ID	Summary	Test Limit	Length	Headroom	Date / Time
BMET 077	PASS	TIA Cat 6 Perm. Link	47 ft	4.7 dB (NEXT)	01/17/2020 09:07 AM
BMET 078	PASS	TIA Cat 6 Perm. Link	47 ft	5.7 dB (NEXT)	01/17/2020 09:08 AM
BMET 079	PASS	TIA Cat 6 Perm. Link	35 ft	3.8 dB (NEXT)	01/17/2020 09:01 AM
BMET 080	PASS	TIA Cat 6 Perm. Link	35 ft	5.0 dB (NEXT)	01/17/2020 09:01 AM
BMET 081	PASS	TIA Cat 6 Perm. Link	35 ft	3.1 dB (NEXT)	01/17/2020 09:02 AM
BMET 082	PASS	TIA Cat 6 Perm. Link	35 ft	5.1 dB (NEXT)	01/17/2020 09:02 AM
BMET 097	PASS	EN50173 PL2 Class Ea	47 ft	3.7 dB (NEXT)	01/17/2020 10:53 AM
BMET 098	PASS	EN50173 PL2 Class Ea	47 ft	5.1 dB (NEXT)	01/17/2020 10:54 AM
BMET 099	PASS	EN50173 PL2 Class Ea	47 ft	6.8 dB (NEXT)	01/17/2020 10:55 AM
BMET 100	PASS	EN50173 PL2 Class Ea	47 ft	4.2 dB (NEXT)	01/17/2020 10:56 AM
BMET 101	PASS	EN50173 PL2 Class Ea	48 ft	4.8 dB (NEXT)	01/17/2020 10:57 AM
BMET 102	PASS	EN50173 PL2 Class Ea	48 ft	4.2 dB (NEXT)	01/17/2020 10:58 AM
BMET 103	PASS	EN50173 PL2 Class Ea	49 ft	5.8 dB (NEXT)	01/17/2020 11:01 AM
BMET 104	PASS	EN50173 PL2 Class Ea	49 ft	7.3 dB (NEXT)	01/17/2020 11:02 AM
BMET 105	PASS	EN50173 PL2 Class Ea	70 ft	5.0 dB (NEXT)	01/17/2020 11:07 AM
BMET 106	PASS	EN50173 PL2 Class Ea	70 ft	6.8 dB (NEXT)	01/17/2020 11:06 AM
BMET 107	PASS	EN50173 PL2 Class Ea	77 ft	6.1 dB (NEXT)	01/17/2020 11:09 AM
BMET 108	PASS	EN50173 PL2 Class Ea	78 ft	5.4 dB (NEXT)	01/17/2020 11:10 AM
BMET 109	PASS	EN50173 PL2 Class Ea	77 ft	5.5 dB (NEXT)	01/17/2020 11:11 AM
BMET 110	PASS	EN50173 PL2 Class Ea	77 ft	6.4 dB (NEXT)	01/17/2020 11:12 AM
BMET 111	PASS	EN50173 PL2 Class Ea	43 ft	5.8 dB (NEXT)	01/17/2020 11:14 AM
BMET 112	PASS	EN50173 PL2 Class Ea	115 ft	7.1 dB (NEXT)	01/17/2020 11:39 AM
BMET 113	PASS	EN50173 PL2 Class Ea	57 ft	6.5 dB (NEXT)	01/17/2020 11:20 AM
BMET 114	PASS	EN50173 PL2 Class Ea	57 ft	5.2 dB (NEXT)	01/17/2020 11:29 AM
BMET 115	PASS	EN50173 PL2 Class Ea	64 ft	5.4 dB (NEXT)	01/17/2020 11:30 AM